In the Claims:

Please cancel Claims 16, 17, 23 and 24. Claims 15 and 18 through 22 are allowed.

Claims 1-14 cancelled.

15. (Previously Presented) A machine for injecting liquids, which comprises: an air booster pump adapted to receive injectate; and a head comprising a tubular wall and having apertures for nozzles, said head being in fluid communication with said air booster pump, and said tubular wall comprising a filter.

- 16. Cancelled.
- 17. Cancelled.
- 18. (Previously Presented) A device for injecting liquids into a subject, said device comprising:

a reservoir for storing a fluid injectate, said reservoir having an inlet and an outlet;

an air pump having an inlet and an outlet, said air pump in fluid communication with said reservoir;

at least one injectate filter positioned between said outlet of said reservoir and said inlet of said air pump; and

a head component, said head component comprising a tubular wall and having an inlet, spray apertures, and nozzles releasably connected to said spray apertures, said head component in fluid communication with said air pump, and said tubular wall comprising a filter, wherein said head component is arranged and configured such that said nozzles are spaced apart from the subject.

19. (Previously Presented) A device for injecting liquids into a subject, said device comprising:

a reservoir for storing a fluid injectate, said reservoir having an inlet and an outlet;

an air pump having an inlet and an outlet, said air pump in fluid communication with said reservoir;

at least one injectate filter positioned between said outlet of said reservoir and said inlet of said air pump; and

a head component, said head component having an inlet, spray apertures, an escape aperture, and nozzles releasably connected to said spray apertures, said head component in fluid communication with said air pump, wherein said head component is arranged and configured such that said nozzles are spaced apart from the subject.

- 20. (Previously Presented) The device of Claim 19, further comprising a return line connected to said escape aperture, said return line in fluid communication with said reservoir.
- 21. (Previously Presented) The device of Claim 19, further comprising:
 a return line connected to said escape aperture; and
 a second reservoir, wherein said second reservoir is in fluid communication
 with said return line and said first reservoir.
- 22. (Previously Presented) A device for injecting liquids into a subject, said device comprising:

a reservoir for storing a fluid injectate, said reservoir having an inlet and an outlet;

a plurality of air pumps, each air pump having an inlet and an outlet, and each of said air pumps in fluid communication with said reservoir; and

at least one injectate filter positioned between said outlet of said reservoir and said inlet of said air pump; and

a plurality of head components, each said head components having an inlet, spray apertures, and nozzles releasably connected to said spray apertures, each of said head components in fluid communication with one of said air pumps, wherein said head component is arranged and configured such that said nozzles are spaced apart from the subject.

- 23. Cancelled.
- 24. Cancelled.

Application No. 09/899,492 March 23, 2004

Reconsideration of the claims as hereby amended is respectfully requested. Claims 16, 17, 23 and 24 are hereby cancelled. Claims 15 and 18 through 22 were previously allowed.

In light of these amendments, Applicants believe the Final Rejection of the application should be withdrawn, and the claims, as amended, are in condition for allowance at this time.

Please contact the undersigned if any issue remains. Thank you for your help and consideration.

Respectfully submitted,

y Untonia M. Dollard

Antonia M. Holland Attorney for Applicant Registration No. 53,840

Customer No.: 22922

Reinhart Boerner Van Deuren s.c. Attn: Linda Gabriel, Docket Clerk 1000 N. Water Street, Suite 2100

Milwaukee, WI 53201 Telephone: 414-298-8285

MW1074736AMH:KAB 3/23/04